

**DEPARTMENT OF ENVIRONMENTAL QUALITY**

KATHLEEN BABINEAUX BLANCO  
GOVERNOR

JUL 10 2007

MIKE D. McDANIEL, Ph.D.  
SECRETARY

**GENERAL PERMIT NUMBER: LAG670000**  
**AI 97422**  
**PER20080001**

**DISCHARGE CATEGORY: DISCHARGES OF HYDROSTATIC TEST AND VESSEL TESTING WASTEWATER**

**TO: ALL INTERESTED PARTIES**

**Subject: Draft General Permit for Discharges of Hydrostatic Test and Vessel Testing Wastewater**

The Department of Environmental Quality (DEQ) proposes to reissue Louisiana Pollutant Discharge Elimination System General Permit Number LAG670000. A copy of the proposed DRAFT general permit is attached for your information. The Department is currently soliciting comments on this draft permit.

This Office will publish a public notice announcing the proposal to reissue this general permit one time in the official state journal, THE ADVOCATE of Baton Rouge, and one time each in the following local papers throughout the state: THE TIMES of Shreveport, THE AMERICAN PRESS of Lake Charles, THE TIMES PICAYUNE of New Orleans, THE NEWS-STAR of Monroe, THE TOWN TALK of Alexandria, THE ADVERTISER of Lafayette, and THE COURIER of Houma. The public notice will be published on the LDEQ Permits Public Web Page at <http://www3.deq.louisiana.gov/news/pubnotice/default.asp> and a public notice will also be mailed to all persons on the Office of Environmental Services mailing list. Upon publication of the public notice in these newspapers a 30-day public comment period shall begin. All interested persons are invited to submit written comments to this Office or request a public hearing relative to the issuance of the permit within this 30-day comment period.

Additional precautions will be taken to assure that people who live in the parishes most severely impacted by recent hurricanes receive notice of the draft permit. The following additional public notice procedures will apply to public notice of the draft permit in Orleans and St. Bernard parishes:

**ENVIRONMENTAL SERVICES**

: PO BOX 4313, BATON ROUGE, LA 70821-4313

P:225-219-3181 F:225-219-3309

WWW.DEQ.LOUISIANA.GOV

General Permit Number LAG670000 / AI 97422

Page Two

The public notice will also be published in an additional newspaper in a parish that physically adjoins Orleans parish and a parish that physically adjoins St. Bernard parish. This additional public notice will be published in the newspaper with the largest circulation in the adjoining parish.

Coverage under this general permit shall be limited to discharges of hydrostatic test and vessel testing wastewater resulting from the hydrostatic testing of new pipelines, flowlines, piping, vessels, or tanks; or pipelines, flowlines, piping, vessels, or tanks which have been used for the transport, transfer, or storage of natural gas, crude oil, liquid or gaseous petroleum hydrocarbons, or similar substances.

Please note that this is a DRAFT permit only and as such does not grant any authorization to discharge. Authorization to discharge will be granted by the issuance of this general permit and only after all requirements described therein are satisfied.

Those facilities seeking coverage under this permit may obtain coverage by submitting notification form HST-G or an approved equivalent form as described in the permit. Notification forms may be obtained from the LDEQ web site at <http://www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/HST-G.doc>, or by contacting the LDEQ Customer Service Center at (225) 219-5337. Permit coverage is available for site-specific permit authorization and for statewide permit authorization. Proposed facilities desiring coverage under this general permit must submit an NOI at least thirty (30) days prior to commencement of discharge. After review of the submitted information, this Office will issue written notification to those applicants who are accepted for coverage under this general permit. If activity is currently being conducted and has not been permitted, an NOI shall be submitted immediately. Dischargers who are currently permitted under the LPDES version of this permit that expires on January 31, 2008, are not required to submit a new NOI. These permitted dischargers will be automatically covered under the reissued LPDES permit; notification of coverage and a copy of the permit will be sent to each permittee after permit finalization. Permit conditions in the reissued permit are effective for these automatically authorized permittees three days after the postmark date of the notification of coverage. Any permittee covered by an individual permit may submit form HST-G and request that the individual permit be canceled if the permitted source or activity is also eligible for coverage by this general permit. Upon written notification of coverage by this Office, the permittee will be notified of coverage by this general permit and of the cancellation of the previous permit.


An annual maintenance and surveillance fee will be assessed for each permit.

General Permit Number LAG670000 / AI 97422

Page Three

Should you have any questions concerning any part of the general permit, public notice requirements or procedures, please contact Ms. Linda Gauthier, Water Permits Division, at the address on page one of this letter, by telephone at (225) 219-0801, or by e-mail at [linda.gauthier@la.gov](mailto:linda.gauthier@la.gov).

Sincerely,



Tom Killeen, Environmental Scientist Manager  
Municipal and General Water Permits Section

lg

Enclosures: Draft Permit, Fact Sheet, NOI form

c: IO-W

Linda Gauthier  
Water Permits Division

Jan Cedars  
Water Permits Division

ec: [Rosborough.Evelyn@epamail.epa.gov](mailto:Rosborough.Evelyn@epamail.epa.gov)  
EPA Region 6, Operations Support Office

All LDEQ Regional Offices  
Office of Environmental Compliance

Supervisor, Louisiana Field Office  
U.S. Fish and Wildlife Service

[rwatson@crt.state.la.us](mailto:rwatson@crt.state.la.us)

[drivet@crt.state.la.us](mailto:drivet@crt.state.la.us)

State Historic Preservation Officer  
Department of Culture, Recreation & Tourism  
Office of Cultural Development/Division of Archaeology



## OFFICE OF ENVIRONMENTAL SERVICES

### Water Discharge Permit

#### DRAFT

AI 97422 / PER20080001  
GENERAL PERMIT NUMBER LAG670000

#### HYDROSTATIC TEST AND VESSEL TESTING WASTEWATER

Pursuant to the Clean Water Act, as amended (33 U.S.C. 1251 et seq.), and the Louisiana Environmental Quality Act, as amended (La. R. S. 30:2001 et seq.), rules and regulations effective or promulgated under the authority of said Acts, this Louisiana Pollutant Discharge Elimination System (LPDES) General Permit is reissued. This permit authorizes persons who meet the requirements herein and who have been approved by this Office, to discharge to waters of the State hydrostatic test wastewater and related wastewater in accordance with effluent limitations, monitoring requirements, and other conditions set forth herein.

This permit shall become effective on

This permit and the authorization to discharge shall expire five (5) years from the effective date of the permit.

Issued on

[NOT FOR SIGNATURE]

---

Chuck Carr Brown, Ph.D.  
Assistant Secretary

## APPLICABILITY

Coverage under this general permit is available for discharges of hydrostatic test wastewater from:

- 1) new pipelines, flowlines, piping, vessels, or tanks; and
- 2) pipelines, flowlines, piping, vessels, or tanks which have been used for the transport, transfer, or storage of natural gas, crude oil, liquid or gaseous petroleum hydrocarbons, or other substances which would adequately be regulated by the effluent limitations in this permit, and which discharge wastewater as a result of these hydrostatic tests. **For the purpose of this permit, "petroleum" shall mean** crude oil, gasoline, diesel fuel, aviation fuel, fuel oils, petroleum lubricants, petroleum solvents, petroleum derived asphalts, and gasoline additives stored and used in conjunction with gasoline storage.; and
- 3) vessel testing wastewater from the above sources provided the vessel testing wastewater is generated from the conduits or vessels that will be hydrostatically tested.

This general permit may provide either site-specific or statewide authorization to discharge. Site owners or operators who conduct hydrostatic tests at more than one location in the state may obtain statewide coverage under this permit for discharges related to those testing activities. Statewide authorization numbers shall be designated LAG679XXX while the site-specific authorization numbers are LAG67YXXX where X equals a numeral from 0 to 9 and Y equals a numeral from 0 to 8.

All persons operating a source or conducting an activity that results in a wastewater discharge as described above are eligible for coverage under this general permit and will become permittees authorized to discharge upon written notification of coverage by this Office. Notice of Intent (NOI) to be covered under this general permit shall be made using form HST-G or an approved equivalent.

The HST-G form and other approved NOI forms may be obtained from the LDEQ web site at <http://www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/LCF-G.doc> or by calling (225) 219-5337.

The appropriate box should be checked on the NOI to request either site-specific coverage or statewide coverage. Operators desiring site-specific coverage under this permit should submit an NOI at least thirty (30) days prior to commencement of discharge.

Operators who propose to discharge wastewater resulting from hydrostatic testing activities at various locations throughout the state and who desire statewide coverage under this permit should submit an NOI at least thirty (30) days prior to commencement of discharge. If this activity is currently being conducted on a site-specific basis or a statewide basis and has not been permitted, an NOI shall be submitted immediately.

Dischargers who are currently permitted under the LPDES version of this permit that expires on January 31, 2008, are not required to submit a new NOI. These permitted dischargers will be automatically covered under the reissued LPDES permit; notification of coverage and a copy of the permit will be sent to each permittee after permit finalization. Permit conditions in the reissued permit are effective for these automatically-authorized permittees three (3) days after the postmark date of the notification of the facility's coverage under the reissued general permit.

Any permittee covered by an individual permit or other general permit(s) may submit an NOI and request that the individual permit or other general permit(s) be canceled if the permitted source or activity is also eligible for coverage under this general permit. Upon approval by this Office, the permittee will be notified of coverage by this general permit and of cancellation of the previous permit(s).

If circumstances at the permitted facility are expected to change in the future and the change will result in the addition or elimination of permitted outfalls, or a change in the composition of effluent from a permitted outfall, the permittee is required to notify the Water Permits Division of the proposed changes and to receive the appropriate permit coverage prior to adding a new outfall or changing the composition of effluent from a permitted outfall.

The permittee is required to submit a permit transfer request to the Environmental Assistance Division either prior to or no later than 45 days after a permitted facility changes ownership/operator. The request must be made on the official LDEQ form NOC-1 which is available on the LDEQ website at: [www.deq.louisiana.gov/portal/Portals/0/assistance/NOC-1%20FORM%20Jan%2025,%202006.pdf](http://www.deq.louisiana.gov/portal/Portals/0/assistance/NOC-1%20FORM%20Jan%2025,%202006.pdf). Any questions related to making a permit transfer should be directed to the Application Verification Group at (225) 219-3292.

A printed hard copy of this permit may be obtained by contacting the LDEQ Customer Service Center at (225) 219-5337, or a copy can be downloaded from the LDEQ website at [www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/pdf/LAG670000.pdf](http://www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/pdf/LAG670000.pdf).

Construction activities that occur at a facility that is authorized under this general permit may require LPDES permit coverage under a different LPDES general permit for those construction activities. Construction activities include clearing, grubbing, grading, excavation, adding fill material, road construction, and similar activities. Construction

activities that disturb one to five acres of land are regulated under LAC 33:IX.2511.B.15 and are covered under the LPDES Storm Water General Permit for Small Construction Activities (LAR200000). Construction activities that disturb five acres of land or more are regulated under LAC 33:IX.2511.B.14.j and are required to obtain permit coverage under the LPDES Storm Water General Permit for Large Construction Activities (LAR100000). Both of the construction storm water general permits can be accessed on the LDEQ web site. The LPDES Storm Water General Permit for Small Construction Activities (LAR200000) can be downloaded from the LDEQ website at [www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/LAR200000.pdf](http://www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/LAR200000.pdf). The LPDES Storm Water General Permit for Large Construction Activities can be downloaded from the LDEQ website at [www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/LAR100000.pdf](http://www.deq.louisiana.gov/portal/Portals/0/permits/lpdes/LAR100000.pdf).

All wastewaters covered by this permit must be treated, if necessary, to meet the effluent limitations in Subject Item: RLP 1 Outfall 001, before being discharged from the site of origin. Wastewater types other than those described herein are not authorized under this general permit and discharge of such wastewaters at a site covered under this general permit will constitute a violation of the permit unless authorization to discharge has been granted under a separate LPDES permit.

If a proposed hydrostatic test is to be performed on a pipe, pipeline, flowline, piping, vessel or tank that is connected to an existing treatment facility, then, when practicable, the wastewater from that hydrostatic test may be routed to the treatment facility, as long as:

1. The treatment facility discharges through an outfall which is already covered by an LPDES permit and routing the hydrostatic test wastewater to the treatment facility will not adversely affect the operation of that treatment facility; and
2. the pollutant being discharged from the hydrostatic test has been previously described as present in the permit application and has limitations and monitoring requirements in the LPDES permit.

Hydrostatic test wastewater and vessel testing wastewater which is routed to treatment facilities such as those described above do not need coverage under this general permit.

This general permit **shall not** apply to activities:

1. producing and/or receiving wastewater from sources other than hydrostatic testing;
2. discharges, or the potential for discharge, of substances that are not addressed by or would not be adequately regulated by this permit, including

any of the Organic Toxic Pollutants, Other Toxic Pollutants (Metals and Cyanide) and Total Phenols, and Toxic Pollutants and Hazardous Substances listed in Tables II, III, and V of LAC 33:IX.325 Appendix D, except as specifically limited herein for discharges of hydrostatic test wastewaters and vessel testing wastewater;

3. discharges of wastewaters which have limits assigned to them in the Louisiana Water Quality Management Plan or an approved Waste Load Allocation which are different from the limits contained in this permit;
4. discharges that are mixed with other, non-covered discharge types unless those other discharges are in compliance with another LPDES permit;
5. discharges of wastewater determined by this Office to present an environmental risk or potential risk of discharging pollutants other than those intended to be regulated by this permit;
6. discharges at operations classed as new sources or new dischargers, if the discharge will cause or contribute to the violation of water quality standards (LAC 33:IX.2317.A.9); and
7. discharges which cause or contribute to the violation of a state water quality standard.

This general permit **may not** apply to:

1. discharges from facilities not in compliance with a previously issued individual or general wastewater discharge permit,
2. discharges from facilities which have previously been in violation of state water quality regulations,
3. discharges from facilities which are located in an environmentally sensitive area including streams designated as Outstanding Natural Resource Waters,
4. discharges from facilities which owe any outstanding fees or fines to the Department;
5. discharges which are likely to have unauthorized adverse effects upon threatened or endangered species, or on the critical habitat for these species as determined in conjunction with the U.S. Fish and Wildlife Service (USFWS); or



6. discharges which adversely affect properties listed or eligible for listing in the National Register of Historic Places, unless they are in compliance with requirements of the National Historic Preservation Act and any necessary activities to avoid or minimize impacts have been coordinated with the Louisiana State Historic Preservation Officer (for questions, the operator should contact the Section 106 Review Coordinator, Office of Cultural Development, P. O. Box 44247, Baton Rouge, LA 70804-4247 or telephone (225) 342-8170).

The Department may deny coverage under this permit and require submittal of an application for an individual LPDES permit based on a review of the NOI or other information. This Office reserves the right to issue such facilities an individual LPDES permit with more appropriate limitations and conditions.

Master AI ID: 97422

Permit #: LAG670000

Activity ID: PER 2008 0001

**Subject Item: RLP 1 Outfall 001 - Discharges of Hydrostatic Test Wastewater and Vessel Testing Wastewater**
**Benzene**

<u>Daily maximum</u>	Which Months	Phases
<b>Limits</b>		
Benzene <= 50 ug/l. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.A]	All Year	ALL
<b>Sample type and frequency</b>		
Benzene monitored by grab sampling once prior to discharge (STORET 34030). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J]	All Year	ALL
<b>Record-Keeping</b>		
Benzene recordkeeping by lab analyses once prior to discharge. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J.4]		ALL

**Benzene, Ethylbenzene, Toluene, Xylene Combination (BTEX)**

<u>Daily maximum</u>	Which Months	Phases
<b>Limits</b>		
Benzene, Ethylbenzene, Toluene, Xylene Combination (BTEX) <= 250 ug/l. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.A]	All Year	ALL
<b>Sample type and frequency</b>		
Benzene, Ethylbenzene, Toluene, Xylene Combination (BTEX) monitored by grab sampling once prior to discharge (STORET 30383). Measure as the sum of benzene, toluene, ethylbenzene, ortho-xylene, meta-xylene, and para-xylene, as quantified using the methods prescribed by the latest approved 40 CFR 136, Tables A, B, C, D, E, F, G. If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J]	All Year	ALL
<b>Record-Keeping</b>		
Benzene, Ethylbenzene, Toluene, Xylene Combination (BTEX) recordkeeping by lab analyses once prior to discharge. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J.4]		ALL

**Carbon, total organic**

<u>Daily maximum</u>	Which Months	Phases
<b>Limits</b>		
Carbon, total organic <= 50 mg/l. Applicable only to discharges from pipes, vessels, and/or tanks which have previously been in service, i.e., those which are not new. [LAC 33:IX.2701.A]	All Year	ALL
<b>Sample type and frequency</b>		
Carbon, total organic monitored by grab sampling once prior to discharge (STORET 00680). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have previously been in service, i.e., those which are not new. [LAC 33:IX.2701.J]	All Year	ALL
<b>Record-Keeping</b>		
Carbon, total organic recordkeeping by lab analyses once prior to discharge. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have previously been in service, i.e., those which are not new. [LAC 33:IX.2701.J.4]		ALL

**Flow, in conduit or through treatment plant**

<u>Daily maximum</u>	Which Months	Phases
<b>Sample type and frequency</b>		
Flow, in conduit or through treatment plant monitored by estimate once per discharge event (STORET 50050). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. [LAC 33:IX.2701.J]	Report Only - million gallons/day	All Year ALL

Master AI ID: 97422

Permit #: LAG670000

Activity ID: PER 2008 0001

**Subject Item: RLP 1 Outfall 001 - Discharges of Hydrostatic Test Wastewater and Vessel Testing Wastewater****Record-Keeping**

Flow, in conduit or through treatment plant recordkeeping by manual logging once per discharge event. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. [LAC 33:IX.2701.J.4]

ALL

**Lead****Daily maximum****Which Months****Phases****Limits**

Lead <= 50 ug/l. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.A]

All Year

ALL

**Sample type and frequency**

Lead monitored by grab sampling once prior to discharge (STORET 01051). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J]

All Year

ALL

**Record-Keeping**

Lead recordkeeping by lab analyses once prior to discharge. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. Applicable only to discharges from pipes, vessels, and/or tanks which have been used for the storage or transportation of liquid or gaseous petroleum hydrocarbons. [LAC 33:IX.2701.J.4]

ALL

**Oil and grease****Daily maximum****Which Months****Phases****Limits**

Oil and grease <= 15 mg/l. [LAC 33:IX.2701.A]

All Year

ALL

**Sample type and frequency**

Oil and grease monitored by grab sampling once prior to discharge (STORET 03582). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. If discharging from new pipes, vessels, and/or tanks, approval may be requested from the appropriate LDEQ Regional Office to sample and run analysis at the time of discharge. [LAC 33:IX.2701.J]

All Year

ALL

**Record-Keeping**

Oil and grease recordkeeping by lab analyses once prior to discharge or at the time of discharge if approved by LDEQ. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. [LAC 33:IX.2701.J.4]

ALL

**TSS (Total Suspended Solids)****Daily maximum****Which Months****Phases****Limits**

TSS (Total Suspended Solids) <= 90 mg/l. If the effluent is being returned to the same water source from which the intake water was obtained, the limitation is 90 mg/l plus the concentration of TSS in the intake water. [LAC 33:IX.2701.A]

All Year

ALL

**Sample type and frequency**

TSS (Total Suspended Solids) monitored by grab sampling once prior to discharge (STORET 00530). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. If discharging from new pipes, vessels, and/or tanks, approval may be requested from the appropriate LDEQ Regional Office to sample and run analysis at the time of discharge. [LAC 33:IX.2701.J]

All Year

ALL

**Record-Keeping**

TSS (Total Suspended Solids) recordkeeping by lab analyses once prior to discharge or at the time of discharge if approved by LDEQ. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. [LAC 33:IX.2701.J.4]

ALL

**pH****Instantaneous maximum****Which Months****Phases****Limits**

pH <= 9.0 s.u. [LAC 33:IX.2701.A]

All Year

ALL

Master AI ID: 97422

Permit #: LAG670000

Activity ID: PER 2008 0001

**Subject Item: RLP 1 Outfall 001 - Discharges of Hydrostatic Test Wastewater and Vessel Testing Wastewater****Sample type and frequency**

pH monitored by grab sampling once prior to discharge (STORET 00400). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. If discharging from new pipes, vessels, and/or tanks, approval may be requested from the appropriate LDEQ Regional Office to sample and run analysis at the time of discharge. [LAC 33:IX.2701.J]

All Year

ALL

**Instantaneous minimum****Limits**

pH >= 6.0 s.u. [LAC 33:IX.2701.A]

Which Months

Phases

All Year

ALL

**Sample type and frequency**

pH monitored by grab sampling once prior to discharge (STORET 00400). If discharge extends beyond one week in duration, then continue sampling on a weekly basis until the discharge ends. If discharging from new pipes, vessels, and/or tanks, approval may be requested from the appropriate LDEQ Regional Office to sample and run analysis at the time of discharge. [LAC 33:IX.2701.J]

All Year

ALL

**Record-Keeping**

pH recordkeeping by lab analyses once prior to discharge. If discharge extends beyond one week in duration, then continue recording on a weekly basis until the discharge ends. [LAC 33:IX.2701.J.4]

ALL

**Narrative**

Phases

Report the TSS concentration of the intake water on the Discharge Monitoring Report along with the concentration of TSS in the effluent, if the effluent is being returned to the same water source from which the intake water was obtained. [LAC 33:IX.2701.L.4]

ALL

Comply with effluent limitations at all times during the discharge. If a discharge is found to be in violation of specified limits, the permittee will be subject to enforcement action, including civil penalties, and may be required to obtain an individual permit. [LAC 33:IX.2701.A]

ALL

Remove all "heels" or free liquids from a container before washing, rinsing or conducting a hydrostatic test on the storage tank, vessel, or similar container. [LAC 33:IX.2701.A]

ALL

There shall be no discharge of floating or settleable solids or visible foam in other than trace amounts, or of free oil or other oily materials, or of toxic materials in quantities such as to cause toxicity to aquatic organisms. Furthermore, there shall be no visible sheen or stains attributable to this discharge. There shall be no accumulation of solids in the receiving stream which has the potential to negatively impact aquatic life or hinder natural drainage. [LAC 33:IX.1113.B]

ALL

Ensure that no discharge generates a flow condition within any drainage conveyance or water body, which, either alone or in concert with storm water runoff, represents a threat to public safety by virtue of discharge velocity. [LAC 33:IX.2701.A]

ALL

Conduct all sampling and testing in accordance with the methods prescribed by the latest approved 40 CFR 136, Tables A, B, C, D, E, F, G. [LAC 33:IX.2701.L.4]

ALL

Take samples prior to mixing with the receiving waters (immediately after exiting the treatment mechanism, if treatment is required). [LAC 33:IX.2701.L.4]

ALL

Use proper sampling techniques to ensure that analytical results are representative of pollutants in the discharge. Conduct monitoring according to analytical, apparatus and materials, sample collection, preservation, handling, etc., procedures listed at 40 CFR Part 136, and in particular, Appendices A, B, and C. [LAC 33:IX.4901]

ALL

If the flow measurement sample type indicated is specified as "estimate," flow measurements shall not be subject to the accuracy provisions established in this permit. The daily flow value may be estimated using best engineering judgement. [LAC 33:IX.2701]

ALL

Submit Monthly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of January, April, July, and October. Prepare one DMR per sampling event and submit all reports for the sampling period quarterly. Submit DMRs quarterly even if there were no discharges during the monitoring period. Postmark or hand deliver to LDEQ not later than 1) April 28 for monitoring in the months of January, February, and March 2) July 28th, for monitoring in the months of April, May, and June; 3) October 28th, for monitoring in the months of July, August and September; and 4) January 28th, for monitoring in the months of October, November, and December. [LAC 33:IX.2701.L.4]

ALL

Telephone the local regional office in whose region a discharge will occur prior to the initial discharge from a hydrostatic test. Applicable only to facilities that have permit coverage on a statewide basis. At the time of the telephone call, provide the regional office with:

ALL

- 1) the location of the proposed discharge;
- 2) the approximate date of proposed discharge;
- 3) the effluent pathway into the receiving waters;
- 4) the source of the fill water to utilized during the hydrostatic test;
- 5) the approximate volume of water to be discharged;
- 6) whether the discharge is to be from new or used equipment (pipe, tank, flowline, or other container);
- 7) whether additives approved by the Office of Environmental Services are to be used in the test water; and

Master AJ ID: 97422

Permit #: LAG670000

Activity ID: PER 2008 0001

**Subject Item: RLP 1 Outfall 001 - Discharges of Hydrostatic Test Wastewater and Vessel Testing Wastewater**

**Narrative**

**Phases**

8) any additional information which the Regional Office representative deems necessary. [LAC 33:IX.2701.A]

Master AI ID: 97422

Permit #: LAG670000

Activity ID: PER 2008 0001

Subject Item: AI 97422

**Narrative****Phases**

Notify Water Permits Division of proposed changes, if circumstances are expected to change in the future and the change will result in the addition or elimination of permitted outfalls, or a change in the composition of effluent from a permitted outfall. Ensure that the appropriate permit coverage has been received prior to adding a new outfall or changing the composition of the effluent from a permitted outfall. [LAC 33:IX.2701.A]

ALL

Submit permit transfer request: Due to the Environmental Assistance Division either prior to or no later than 45 days after changing ownership/operator. Make the request on the official LDEQ form NOC-1. [LAC 33:IX.2701.A]

ALL

Do not add additives such as corrosion inhibitors, bactericides, and dyes to the test water without prior written approval from DEQ. Include, in the written request for approval, toxicity data for each additive proposed for use, as well as a clear description of the proposed discharge including projected volumes of wastewaters and additive levels in the wastewaters. [LAC 33:IX.2701.A]

ALL

Do not discharge PCBs. Proof that PCBs are not present in the pipe is required for all pipelines which have been in use for transmission of natural gas. Such proof shall consist of a statement, signed by a responsible company official, certifying that either the pipeline has been tested for, and found to be free of PCBs, or that compressors or other equipment that contained PCBs were never used on the pipeline. If such certification cannot be furnished, test the discharge water for PCBs prior to any discharge, in accordance with the methods prescribed by the latest approved 40 CFR 136, Tables A, B, C, D, E, F, G, and submit the results to the Water Permits Division. For certification purposes, analytical concentrations less than 1ug/L are considered "non-detects" [LAC 33:IX.2701.A]

ALL

Retain all monitoring records for a period of at least three years from the date of the sample measurements. Make available to DEQ, upon request, copies of all monitoring data. Include in the records:

ALL

- a) The date, exact place, and time of sampling or measuring;
- b) The individual(s) who performed the sampling or measurements;
- c) The date(s) and time(s) analyses were begun;
- d) The individual(s) who performed the analyses;
- e) The analytical techniques or methods used;
- f) The results of such analyses; and
- g) The results of all Quality Control procedures. [LAC 33:IX.2701.A]

Discharge Monitoring Report: Prepare and submit DMRs for each discharge point (outfall number) on DMR form (EPA No. 3320-1 or an LDEQ substitute as specified in 40 CFR 435). Number each hydrostatic test conducted sequentially (001, 002, 003, etc.) as it occurs. Place the identification number that is assigned to a particular hydrostatic test event on the DMR in the box marked "Discharge Number". Ensure that all DMR submittals contain the operator-specific permit authorization number and Agency Interest (AI) Number. Check the "No Discharge" box in the upper right corner of the DMR that is completed for that outfall, if there is no discharge event at the outfall during the sampling period. Submit duplicate copies of DMRs (one set of originals and one set of copies) signed and certified as required by LAC 33:IX.2503.A and B, and all other reports (one set of originals) required by this permit, to the Enforcement Division, Office of Environmental Compliance, Department of Environmental Quality, P.O. Box 4312, Baton Rouge, Louisiana 70821-4312. [LAC 33:IX.2701.L.4]

ALL

Submit written results of laboratory analysis conducted in accordance with the effluent limitations in Outfall 001 of this permit to the regional office prior to commencing the discharge from the hydrostatic test. Ensure that the sample analysis is performed less than thirty working days before the proposed commencement of discharge. Applicable only to facilities that have permit coverage on a statewide basis. [LAC 33:IX.2701.A]

ALL

Report violations of daily maximum limitations of benzene, total BTEX, and lead to the Office of Emergency Response, under the provisions of Standard Conditions D.6.b of this permit. Report all violations of daily maximum limitations of benzene, total BTEX, and lead to the Office of Environmental Compliance Single Point of Contact (SPOC) within 24 hours upon discovering the unauthorized discharge or release. Make notification by email or orally utilizing any one of the following procedures: (1) use Online Incident Reporting report and procedures found at [www.deq.louisiana.gov/apps/forms/irt/forms/](http://www.deq.louisiana.gov/apps/forms/irt/forms/); (2) use a direct email addressed to [spoc@la.gov](mailto:spoc@la.gov); or (3) verbally notify LDEQ by calling the LDEQ Hotline at (225) 342-1234, which is manned 24 hours a day, 7 days a week, or by calling the LDEQ-SPOC at (225) 219-3640 which is manned during normal office hours (M-F, 8:00 am - 4:30 pm). [LAC 33:IX.2701.A]

ALL

Submit Written Notification Report: Due to LDEQ, Office of Environmental Compliance, Surveillance Division within seven days after submitting the 24-hour notification of any LPDES permit limit excursion. [LAC 33:IX.2701.A]

ALL

## OTHER REQUIREMENTS

The permittee must comply with all applicable provisions of the Louisiana Water Quality Regulations including standard conditions found in LAC 33:IX.2701. This Office has established the following definitions and requirements in accordance with those regulations. The definition of other terms may be found in the Louisiana Water Pollution Control Regulations (LAC 33:IX.2313).

### SECTION A. DEFINITIONS

For definitions of monitoring and sampling terminology see Standard Conditions, Section F.

#### **Additional definitions:**

1. Act: means Act 449 of the 1979 Louisiana Legislature which established Section 2001, et seq. of Title 30 of the Louisiana Revised Statutes of 1950 and any subsequent amendment to these Sections.
2. Activity: means any conduct, operation or process which causes or may cause the discharge of pollutants into the waters of the state.
3. Bypass: means the intentional diversion of waste streams from any portion of a treatment facility.
4. Commingled Discharges: means waste streams that are mixed prior to final discharge and can not be sampled separately as internal outfalls.
5. Daily Maximum discharge limitation: means the highest allowable permitted pollutant concentration that is allowed to be discharged during a particular discharge event.
6. Discharge: when used without qualification means the "discharge of a pollutant".
7. Discharge Monitoring Report (DMR): The form used (including any subsequent additions, revisions, or modifications) to report self-monitoring results of effluent discharges by NPDES permittees and permittees in delegated states. EPA Form 3320-1 is the DMR form that must be used by permittees in the state of Louisiana (LPDES permittees) to report self-monitoring results.
8. Effluent: means wastewater discharged to the waters of the State.
9. Effluent Limitations: means any applicable state or federal quality or quantity limitation which imposes any restriction or prohibition on quantities, discharge rates, and concentrations of pollutants which are discharged into the waters of the State.

10. Facility: means a pollution source, or any public or private property or site and all contiguous land and structures, other appurtenances and improvements, where any activity is conducted which discharges or may result in the discharge of pollutants into waters of the State.
11. Facility-specific: means any fixed location at which the activities covered by this permit occur. A fixed location may have several discharge points at that location.
12. General Permit: means an LPDES permit authorizing a category of similar discharges within a geographical area.
13. Hydrostatic Test: is a leakage determination test that is conducted on a hollow object or piece of equipment by filling the tested item with water and subjecting it to pressure.
14. Hydrostatic Test Wastewater: water that has been used to conduct a hydrostatic test.
15. Internal Outfalls: means sampling points already in existence in a combined effluent outfall that are positioned such as to allow the different wastewater streams to be sampled before they combine.
16. LPDES: means those portions of the Louisiana Environmental Quality Act and the Louisiana Water Control Law and all regulations promulgated under their authority which are deemed equivalent to the National Pollutant Discharge Elimination System (NPDES) under the Clean Water Act in accordance with Section 402 of the Clean Water Act and all applicable federal regulations.
17. Office: means the Office of Environmental Services within the Department of Environmental Quality.
18. Operator: means the person or legal entity responsible for the operation and/or maintenance of a facility with a discharge covered by the Title 33 regulations.
19. Owner: means the person or legal entity holding legal title to a facility with a discharge covered by the Title 33 regulations.
20. Person: means an individual, municipality, public or private corporation, partnership, firms, the United States Government and any agent or subdivision thereof, or any other juridical person.
21. Petroleum: means crude oil, gasoline, diesel fuel, aviation fuel, fuel oils, gasoline additives stored and used in conjunction with gasoline storage, petroleum lubricants, petroleum solvents and petroleum derived asphalts.



22. Process Wastewater: means any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product. Process wastewater may include interior or exterior washing of plant trucks or product receptacles.
23. Secretary: means the Secretary of the Louisiana Department of Environmental Quality.
24. Standard Methods: means Standard Methods for the Examination of Water and Wastewater, American Public Health Association, Washington, DC.
25. State Administrative Authority: means the Secretary of the Department of Environmental Quality or his designee or the appropriate assistant secretary or his designee.
26. Total Suspended Solids (TSS): means the amount of solid material suspended in water commonly expressed as a concentration in terms of mg/L.
27. Unauthorized Discharge: means a continuous, intermittent or one-time discharge, whether intentional, anticipated, or unanticipated, from any source, permitted or unpermitted, which is in contravention of any provision of the Act or of any permit terms and conditions, or of any applicable regulation, compliance schedule, variance or exception of the administrative authority.
28. Vessel Testing Wastewater: means, after removing all "heels" or free liquids from a pipe, pipeline, flowline, storage tank, vessel or similar conduit or container, wastewater generated by cleaning or rinsing either the interior or the exterior surface of a new conduit or container; wastewater generated by cleaning or rinsing either the interior or the exterior of a conduit or container that has been used to contain, transfer, transport, or store natural gas, crude oil, liquid or gaseous petroleum hydrocarbons, or materials of similar nature; or wastewater generated during the hydrostatic test of either a new or a petroleum contaminated conduit or container.
29. Visible sheen: means a silvery or metallic sheen, gloss, or increased reflectivity; visual color; or iridescence on the water surface.
30. Waters of the State: for the purposes of the Louisiana Pollutant Discharge Elimination System, all surface waters within the state of Louisiana and, on the coastline of Louisiana and the Gulf of Mexico, all surface waters extending therefrom three miles into the Gulf of Mexico. For purposes of the LPDES, this includes all surface waters that are subject to the ebb and flow of the tide, lakes, rivers, streams (including intermittent streams), mudflats, sandflats, wetlands, sloughs, prairie potholes, wet meadows, playa lakes, natural ponds, impoundments of waters within the state of Louisiana otherwise defined as *Waters of the United States* in 40 CFR 122.2, and

tributaries of all such waters. *Waters of the State* does not include wastewater treatment systems, including treatment ponds or lagoons designed to meet the requirements of the Clean Water Act, 33 U.S.C. 1251 et seq.

#### **SECTION B. COMPLIANCE SCHEDULE**

The permittee shall be in compliance with the effluent limitations and monitoring requirements specified herein on the date of authorization of coverage under this general permit. If a discharge is found to be in violation of specified limits, the permittee will be subject to enforcement action, including civil penalties, and may be required to obtain an individual permit.

#### **SECTION C. OTHER DISCHARGES**

This permit does not in any way authorize the permittee to discharge a pollutant not limited or monitored for in the permit, not normally associated with the activity represented in the notice of intent, or from a source not eligible for coverage under this general permit.

#### **SECTION D. COVERAGE UNDER SUBSEQUENT PERMITS**

This permit expires five years after the effective date. Should this permit expire before it is reissued, this Office will administratively extend the permit to discharge for permittees that were covered prior to the expiration, until such time that a new general permit is issued. Upon reissuance or replacement of this permit, the permittee must comply with the requirements for obtaining coverage under the new permit to maintain authorization to discharge.

#### **SECTION E. TERMINATION OF AUTHORIZATION TO DISCHARGE**

This Office reserves the right to revoke the authorization to discharge in accordance with this general permit as it applies to any person and/or require such person to apply for and obtain an individual permit if:

1. the covered source or activity is a significant contributor to pollution or creates other environmental problems;
2. the permittee is not in compliance with the terms and conditions of this general permit;
3. conditions or standards have changed so that the source or activity no longer qualifies for this general permit, or
4. the discharge limitations contained in this permit are not in accordance with the Water Quality Management Plan.

## **SECTION F. STATE WATER QUALITY STANDARDS**

LAC 33:IX.1113 describes numerical and general criteria that apply to all water bodies of the State. Criteria are elements of the water quality which set limitations on the permissible amounts of a substance or other characteristics of state waters. The General Criteria, as described in the Louisiana Administrative Code, limit discharges to maintain aesthetics, color, turbidity, the biologic and aquatic community integrity, and many other elements in the receiving water body. Any noncompliance with the General or Numerical Criteria is not authorized under this permit.

Discharges from facilities permitted under LPDES general permits typically consist of low volume flows, and discharges that are intermittent in nature. This general permit is applicable to very specific types of facilities and allows very limited types of discharges that specifically occur at industrial facilities that are eligible for coverage under this permit. The effluent limitations and other conditions are determined to be sufficient to assure protection to state waters. Pursuant to LAC 33:IX.2317.A.9 new source discharges or new discharges of wastewater from a facility whose discharges are in compliance with the general permit requirements should not adversely impact water quality of 303(d) listed impaired water bodies nor should they cause or contribute to the violation of state water quality standards in receiving water bodies throughout the state, including 303(d) listed impaired water bodies. Discharges from activities which are authorized under this general permit will not negatively impact the water quality of receiving streams because permitted activities are required to be in compliance with the general permit requirements immediately upon coverage by the permit. In accordance with Standard Conditions, Sections E, G, and L measures can be taken by the permitting authority to prohibit any discharge that is not protective of state water quality standards.

## **SECTION G. REQUIRING AN INDIVIDUAL PERMIT OR AN ALTERNATIVE GENERAL PERMIT**

1. The State Administrative Authority may require any person authorized by this permit to apply for and/or obtain either an individual LPDES permit or an alternative LPDES general permit. Any interested person may petition the State Administrative Authority to take action under this paragraph. Where the State Administrative Authority requires a discharger authorized to discharge under this permit to apply for an individual LPDES permit, the State Administrative Authority shall notify the discharger in writing that a permit application or alternative general permit application is required. This notification shall include a brief statement of the reasons for this decision, an application form, a statement setting a deadline for the discharger to file the application, and a statement that on the effective date of issuance or denial of the individual LPDES permit or the alternative general permit as it applies to the individual permittee, coverage under this general permit

shall automatically terminate. The State Administrative Authority may grant additional time to submit the application upon request of the applicant. If a discharger fails to submit in a timely manner an application as required by the State Administrative Authority under this paragraph, then the applicability of this permit to the permittee is automatically terminated at the end of the day specified by the State Administrative Authority for application submittal.

2. Any discharger authorized by this permit may request to be excluded from the coverage of this permit by applying for an individual permit. In such cases, the permittee shall submit an individual application in accordance with the requirements of LAC 33:IX.2515.B.3.c., with reasons supporting the request, to the State Administrative Authority at the Louisiana Department of Environmental Quality, Office of Environmental Services, P. O. Box 4313, Baton Rouge, LA 70821-4313, ATTN: Water Permits Division. The request may be granted by issuance of an individual permit or an alternative general permit if the reasons cited by the permittee are adequate to support the request.

3. In order to appropriately cover all discharges that might occur at a facility, a permittee authorized to discharge under this LPDES permit might also need coverage under an individual LPDES permit or other LPDES general permits for discharges that occur at the facility/site that are not authorized by this general permit. The permittee shall maintain appropriate permit coverage for the permitted facility/site and shall maintain compliance with all effective LPDES permits issued to the facility/site.

4. When an individual LPDES permit is issued to a discharger otherwise subject to this permit, or the discharger is authorized to discharge under an alternative LPDES general permit, the applicability of this permit to that LPDES permittee is automatically terminated on the effective date of the individual permit or the date of authorization of coverage under the alternative general permit, whichever the case may be. **When an individual LPDES permit is denied to an owner or operator otherwise subject to this permit, or the owner or operator is denied coverage under an alternative LPDES general permit, that owner or operator then becomes ineligible for authorization to discharge under this general permit, unless the State Administrative Authority determines that specific discharges from the owner or operator's facility may be authorized by this permit.**

#### **SECTION H. PROPERTY RIGHTS**

Authorization to discharge pursuant to the conditions of this permit does not relieve the permittee of any liability for damages to state waters or private property. For discharges to private land, this permit does not relieve the permittee from obtaining proper approval from the landowner for appropriate easements and rights of way.

**SECTION I. REMOVED SUBSTANCES**

Solids, sludges, biosolids, filter backwash, or other pollutants removed in the course of treatment or control of wastewaters shall be properly disposed of in compliance with applicable state laws, regulations, and permit requirements, and in a manner such as to prevent any pollutant from such materials from entering the waters of the state. The permittee shall contact the Waste Permits Division of the Office of Environmental Services for information on regulations and permits to dispose of this material.

**SECTION J. SEVERABILITY**

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

**SECTION K. REPORTING TO REGIONAL OFFICE (Statewide Basis – Additional Sites)**

In addition to the sampling analysis provisions specified above in Subject Item: RLP 1 Outfall 001, any permittee with coverage on a statewide basis must telephone the local regional office in whose region the discharge will occur prior to the initial discharge from a hydrostatic test. Current regional office address and telephone numbers are available on the LDEQ website at <http://www.deq.louisiana.gov/portal/tabid/62/Default.aspx>. At the time of the telephone call the permittee must provide the regional office with:

1. the location of the proposed discharge;
2. the approximate date of the proposed discharge;
3. the effluent pathway into the receiving waters;
4. the source of the fill water to be utilized during the hydrostatic test;
5. the approximate volume of water to be discharged;
6. whether the discharge is to be from new or used equipment (pipe, tank, flowline, or other container);
7. whether additives approved by the Office of Environmental Services are to be used in the test water; and
8. any additional information which the Regional Office representative deems necessary.

Facilities that conduct hydrostatic testing of tanks or vessels at their site on a regular basis may request approval from the regional office to discharge from scheduled hydrostatic test events. The facility should submit a written request to the regional office that includes the above information along with a schedule of when testing will occur. If

approved by the regional office, the facility may discharge in accordance with the schedule of testing without notifying the regional office by telephone **prior** to each testing event.

In addition, written results of laboratory analyses conducted in accordance with the effluent limitations in Subject Item: RLP 1 Outfall 001 of this permit must be submitted to the regional office **prior** to commencing the discharge from the hydrostatic test. The sample analysis must have been performed less than thirty (30) working days before the proposed commencement of discharge. **If approved by the appropriate regional office**, this prior submission of laboratory analyses will not be required for discharges from **new** vessels or tanks. In such instances, sampling shall be conducted for the purposes of DMR submittal at the time of the discharge in accordance with the effluent limitations in Subject Item: RLP 1 Outfall 001 of this permit.

#### **SECTION L. PERMIT REOPENER CLAUSE**

This permit may be modified, revoked and reissued, or terminated for cause in accordance with LAC 33:IX.2903, 2907, and 6509. The filing of a request for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition. This Office reserves the right to reopen and modify this permit to conform to those standards necessary to maintain the water quality in order to support uses of the receiving water bodies.

#### **SECTION M. 24-HOUR ORAL REPORTING: DAILY MAXIMUM LIMITATION VIOLATIONS**

Under the provisions of Standard Conditions, Section D.6.b. of this permit, violations of daily maximum limitations for the following pollutants shall be reported to the Office of Emergency Response. Notification of all violations of daily maximum limitations for these parameters must be reported to the Office of Environmental Compliance Single Point of Contact (SPOC) within 24 hours upon discovering the unauthorized discharge or release. Notification can be made by email or orally utilizing any **one** of the following procedures: (1) use the Online Incident Reporting report and procedures found at [www.deq.louisiana.gov/apps/forms/irf/forms/](http://www.deq.louisiana.gov/apps/forms/irf/forms/); (2) use a direct email addressed to [spoc@la.gov](mailto:spoc@la.gov); or (3) verbally notify LDEQ by calling the LDEQ Hotline at (225) 342-1234, which is manned 24 hours a day, 7 days a week, or by calling the LDEQ-SPOC at (225) 219-3640 which is manned during normal office hours (M-F, 8:00 am – 4:30 pm). The online notification procedure removes the need to make a verbal call to the LDEQ Hotline or the SPOC phone number and allows the notification to be submitted directly to the SPOC electronically. The Excursion Form found at [www.deq.louisiana.gov/apps/forms/irf/forms/](http://www.deq.louisiana.gov/apps/forms/irf/forms/) may be completed and emailed to [spoc@la.gov](mailto:spoc@la.gov) to satisfy the 24-hour reporting requirement. Under the provisions of

Standard Conditions, Section D.6.d of this permit, the facility must also submit a Written Notification Report within seven (7) days after submitting the 24-hour electronic or verbal notification of any LPDES permit limit excursion. Written notification Reports may be either faxed or mailed to the LDEQ, Office of Environmental Compliance, Surveillance Division. Written Notification Reports should be **either** faxed to (225) 219-4044 or (225) 219-3695, or mailed to the Louisiana Department of Environmental Quality, ATTN: Surveillance Division SPOC, Unauthorized Discharge Notification Report, P. O. Box 4312, Baton Rouge, LA 70821-4312.

Pollutants: Benzene, Total BTEX, Lead

#### **SECTION N. MINIMUM QUANTIFICATION LEVEL (MQL)**

If any individual analytical test result is less than the minimum quantification level listed below, a value of zero (0) may be used for that individual result for the Discharge Monitoring Report (DMR) calculations and reporting.

<b><u>METALS</u></b>	<b><u>MQL (µg/L)</u></b>
Lead (Total)	5
 <b><u>VOLATILE COMPOUNDS</u></b>	 <b><u>MQL (µg/L)</u></b>
Benzene	10
Ethylbenzene	10
Toluene	10
Xylene	10

#### **SECTION O. FLOW MEASUREMENT**

The flow measurement sample type for the effluent schedule contained in this general permit is specified as "estimate". Therefore, the permittee shall not be subject to the accuracy provisions for flow measurement established in the Standard Conditions of this permit. When collecting samples for permit compliance purposes, the flow may be estimated using best engineering judgment. [LAC 33:IX.2701]

## STANDARD CONDITIONS FOR LPDES PERMITS

SECTION A. GENERAL CONDITIONS1. Introduction

In accordance with the provisions of LAC 33:IX.2701, et seq., this permit incorporates either expressly or by reference ALL conditions and requirements applicable to Louisiana Pollutant Discharge Elimination System Permits (LPDES) set forth in the Louisiana Environmental Quality Act (LEQA), as amended, as well as ALL applicable regulations.

2. Duty to Comply

The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act (CWA) and the Louisiana Environmental Quality Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

3. Penalties for Violation of Permit Conditions

- a. LA. R. S. 30:2025 provides for civil penalties for violations of these regulations and the Louisiana Environmental Quality Act. LA. R. S. 30:2076.2 provides for criminal penalties for violation of any provisions of the LPDES or any order or any permit condition or limitation issued under or implementing any provisions of the LPDES program. (See Section E. Penalties for Violation of Permit Conditions for additional details).
- b. Any person may be assessed an administrative penalty by the State Administrative Authority under LA. R. S. 30:2025 for violating a permit condition or limitation implementing any of the requirements of the LPDES program in a permit issued under the regulations or the Louisiana Environmental Quality Act.

4. Toxic Pollutants

- a. Other effluent limitations and standards under Sections 301, 302, 303, 307, 318, and 405 of the Clean Water Act. If any applicable toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is promulgated under Section 307(a) of the Clean Water Act for a toxic pollutant and that standard or prohibition is more stringent than any limitation on the pollutant in this permit, the state administrative authority shall institute proceedings under these regulations to modify or revoke and reissue the permit to conform to the toxic effluent standard or prohibition.
- b. The permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants and with standards for sewage sludge use or disposal established under Section 405(d) of the Clean Water Act within the time provided in the regulations that establish these standards or prohibitions, or standards for sewage sludge use or disposal, even if the permit has not yet been modified to incorporate the requirement.

5. Duty to Reapply

- a. Individual Permits. If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit. The new application shall be submitted at least 180 days before the expiration date of the existing permit, unless permission for a later date has been granted by the state administrative authority. (The state administrative authority shall not grant permission for applications to be submitted later than the expiration date of the existing permit.) Continuation of expiring permits shall be governed by regulations promulgated at LAC 33:IX.2321 and any subsequent amendments.



REVISED 4/27/07

Page 2 of 17

- b. General Permits. General permits expire five years after the effective date. The 180-day reapplication period as defined above is not applicable to general permit authorizations. Reissued general permits may provide automatic coverage for permittees authorized under the previous version of the permit, and no new application is required. Requirements for obtaining authorization under the reissued general permit will be outlined in Part I of the new permit. Permittees authorized to discharge under an expiring general permit should follow the requirements for obtaining coverage under the new general permit to maintain discharge authorization.

#### 6. Permit Action

This permit may be modified, revoked and reissued, or terminated for cause in accordance with LAC 33:IX.2903, 2905, 2907, 3105 and 6509. The causes may include, but are not limited to, the following:

- a. Noncompliance by the permittee with any condition of the permit;
- b. The permittee's failure in the application or during the permit issuance process to disclose fully all relevant facts, or the permittee's misrepresentation of any relevant facts at any time;
- c. A determination that the permitted activity endangers human health or the environment and can only be regulated to acceptable levels by permit modification or termination;
- d. A change in any condition that requires either a temporary or a permanent reduction or elimination of any discharge; or
- e. Failure to pay applicable fees under the provisions of LAC 33: IX. Chapter 13;
- f. Change of ownership or operational control;

The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

#### 7. Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege.

#### 8. Duty to Provide Information

The permittee shall furnish to the state administrative authority, within a reasonable time, any information which the state administrative authority may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The permittee shall also furnish to the state administrative authority, upon request, copies of records required to be kept by this permit.

#### 9. Criminal and Civil Liability

Except as provided in permit conditions on "Bypassing" and "Upsets", nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance. Any false or materially misleading representation or concealment of information required to be reported by the provisions of the permit, the Act, or applicable regulations, which avoids or effectively defeats the regulatory purpose of the Permit may subject the Permittee to criminal enforcement pursuant to La. R.S. 30:2025.

#### 10. Oil and Hazardous Substance Liability

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject under Section 311 of the Clean Water Act.

#### 11. State Laws

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable State law or regulation under authority preserved by Section 510 of the Clean Water Act.

**12. Severability**

If any provision of these rules and regulations, or the application thereof, is held to be invalid, the remaining provisions of these rules and regulations shall not be affected, so long as they can be given effect without the invalid provision. To this end, the provisions of these rules and regulations are declared to be severable.

**13. Dilution**

A permittee shall not achieve any effluent concentration by dilution unless specifically authorized in the permit. A permittee shall not increase the use of process water or cooling water or otherwise attempt to dilute a discharge as a partial or complete substitute for adequate treatment to achieve permit limitations or water quality.

**14. Facilities Requiring Approval from Other State Agencies**

In accordance with La R.S.40.4(A)(6) the plans and specifications of all sanitary sewerage treatment systems, both public and private, must be approved by the Department of Health and Hospitals state health officer or his designee. It is unlawful for any person, firm, or corporation, both municipal and private to operate a sanitary sewage treatment facility without proper authorization from the state health officer.

In accordance with La R.S.40.1149, it is unlawful for any person, firm or corporation, both municipal and private, operating a sewerage system to operate that system unless the competency of the operator is duly certified by the Department of Health and Hospitals state health officer. Furthermore, it is unlawful for any person to perform the duties of an operator without being duly certified.

In accordance with La R.S.48.385, it is unlawful for any industrial wastes, sewage, septic tanks effluent, or any noxious or harmful matter, solid, liquid or gaseous to be discharged into the side or cross ditches or placed upon the rights-of-ways of state highways without the prior written consent of the Department of Transportation and Development chief engineer or his duly authorized representative and of the secretary of the Department of Health and Hospitals.

**SECTION B. PROPER OPERATION AND MAINTENANCE****1. Need to Halt or Reduce not a Defense**

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

**2. Duty to Mitigate**

The permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment. The permittee shall also take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with the permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

**3. Proper Operation and Maintenance**

a. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit.

b. The permittee shall provide an adequate operating staff which is duly qualified to carry out operation, maintenance and other functions necessary to ensure compliance with the conditions of this permit.

4. Bypass of Treatment Facilities

- a. Bypass. The intentional diversion of waste streams from any portion of a treatment facility.
- b. Bypass not exceeding limitations. The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Section B.4.c. and 4.d of these standard conditions.
- c. Notice
  - (1) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior notice to the Office of Environmental Services, Water Permits Division, if possible at least ten days before the date of the bypass.
  - (2) Unanticipated bypass. The permittee shall submit notice of an unanticipated bypass as required in LAC 33:IX.2701.L.6, (24-hour notice) and Section D.6.e. of these standard conditions.
- d. Prohibition of bypass
  - (1) Bypass is prohibited, and the state administrative authority may take enforcement action against a permittee for bypass, unless:
    - (a) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
    - (b) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and,
    - (c) The permittee submitted notices as required by Section B.4.c of these standard conditions.
  - (2) The state administrative authority may approve an anticipated bypass after considering its adverse effects, if the state administrative authority determines that it will meet the three conditions listed in Section B.4.d(1) of these standard conditions.

5. Upset Conditions

- a. Upset. An exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- b. Effect of an upset. An upset constitutes an affirmative defense to an action brought for noncompliance with such technology-based permit effluent limitations if the requirements of Section B.5.c. are met. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review.
- c. Conditions necessary for a demonstration of upset. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
  - (1) An upset occurred and that the permittee can identify the cause(s) of the upset;
  - (2) The permitted facility was at the time being properly operated; and
  - (3) The permittee submitted notice of the upset as required by LAC 33:IX.2701.L.6.b.ii. and Section D.6.e.(2) of these standard conditions; and

REVISED 4/27/07

Page 5 of 17

(4) The permittee complied with any remedial measures required by Section B.2 of these standard conditions.

d. Burden of proof. In any enforcement proceeding, the permittee seeking to establish the occurrence of an upset has the burden of proof.

6. Removed Substances

Solids, sewage sludges, filter backwash, or other pollutants removed in the course of treatment or wastewater control shall be properly disposed of in a manner such as to prevent any pollutant from such materials from entering waters of the state and in accordance with environmental regulations.

7. Percent Removal

For publicly owned treatment works, the 30-day average percent removal for Biochemical Oxygen Demand and Total Suspended Solids shall not be less than 85 percent in accordance with LAC 33:IX.5905.A.3. and B.3.

## SECTION C. MONITORING AND RECORDS

1. Inspection and Entry

The permittee shall allow the state administrative authority or an authorized representative (including an authorized contractor acting as a representative of the Administrator), upon the presentation of credentials and other documents as may be required by the law to:

a. Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit.

Enter upon the permittee's premises where a discharge source is or might be located or in which monitoring equipment or records required by a permit are kept for inspection or sampling purposes. Most inspections will be unannounced and should be allowed to begin immediately, but in no case shall begin more than thirty (30) minutes after the time the inspector presents his/her credentials and announces the purpose(s) of the inspection. Delay in excess of thirty (30) minutes shall constitute a violation of this permit. However, additional time can be granted if the inspector or the Administrative Authority determines that the circumstances warrant such action; and

b. Have access to and copy, at reasonable times, any records that the department or its authorized representative determines are necessary for the enforcement of this permit. For records maintained in either a central or private office that is open only during normal office hours and is closed at the time of inspection, the records shall be made available as soon as the office is open, but in no case later than the close of business the next working day;

c. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and

d. Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act or the Louisiana Environmental Quality Act, any substances or parameters at any location.

e. Sample Collection

(1) When the inspector announces that samples will be collected, the permittee will be given an additional thirty (30) minutes to prepare containers in order to collect duplicates. If the permittee cannot obtain and prepare sample containers within this time, he is considered to have waived his right to collect duplicate samples and the sampling will proceed immediately. Further delay on the part of the permittee in allowing initiation of the sampling will constitute a violation of this permit.

(2) At the discretion of the administrative authority, sample collection shall proceed immediately (without the additional 30 minutes described in Section C.1.a. above) and the inspector shall supply the permittee with a duplicate sample.

- f. It shall be the responsibility of the permittee to ensure that a facility representative familiar with provisions of its wastewater discharge permit, including any other conditions or limitations, be available either by phone or in person at the facility during all hours of operation. The absence of such personnel on-site who are familiar with the permit shall not be grounds for delaying the initiation of an inspection except in situations as described in Section C.1.b. of these standard conditions. The permittee shall be responsible for providing witnesses/escorts during inspections. Inspectors shall abide by all company safety rules and shall be equipped with standard safety equipment (hard hat, safety shoes, safety glasses) normally required by industrial facilities.
- g. Upon written request copies of field notes, drawings, etc., taken by department personnel during an inspection shall be provided to the permittee after the final inspection report has been completed.

2. Representative Sampling

Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. All samples shall be taken at the outfall location(s) indicated in the permit. The state administrative authority shall be notified prior to any changes in the outfall location(s). Any changes in the outfall location(s) may be subject to modification, revocation and reissuance in accordance with LAC 33:IX.2903.

3. Retention of Records

Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years (or longer as required by 40 CFR 503), the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report, or application. This period may be extended by request of the state administrative authority at any time.

4. Record Contents

Records of monitoring information shall include:

- a. The date, exact place, and time of sampling or measurements;
- b. The individual(s) who performed the sampling or measurements;
- c. The date(s) analyses were performed;
- d. The time(s) analyses were begun;
- e. The individual(s) who performed the analyses;
- f. The analytical techniques or methods used;
- g. The results of such analyses; and
- h. The results of all quality control procedures.

5. Monitoring Procedures

- a. Monitoring results must be conducted according to test procedures approved under 40 CFR Part 136 or, in the case of sludge use or disposal, approved under 40 CFR Part 136 unless otherwise specified in 40 CFR Part 503, unless other test procedures have been specified in this permit.
- b. The permittee shall calibrate and perform maintenance procedures on all monitoring and analytical instruments at intervals frequent enough to insure accuracy of measurements and shall maintain appropriate records of such activities.
- c. The permittee or designated laboratory shall have an adequate analytical quality assurance/quality control program to produce defensible data of known precision and accuracy. All quality control measures shall be assessed and evaluated on an on-going basis and quality control acceptance criteria shall be used to determine the validity of the data. All method specific quality control as prescribed in the method shall be followed. If quality control requirements are not included in the method, the permittee or designated laboratory shall follow the quality control requirements as prescribed in the Approved Edition (40 CFR Part 136) Standard Methods for the Examination of Water and Wastes, Sections 1020A and 1020B. General sampling protocol shall follow guidelines established in the "Handbook for Sampling and Sample Preservation of Water and Wastewater, 1982 "U.S. Environmental

Protection Agency. This publication is available from the National Technical Information Service (NTIS), Springfield, VA 22161, Phone number (800) 553-6847. Order by NTIS publication number PB-83-124503.

6. Flow Measurements

Appropriate flow measurement devices and methods consistent with accepted scientific practices shall be selected and used to ensure the accuracy and reliability of measurements of the volume of monitored discharges. The devices shall be installed, calibrated, and maintained to insure that the accuracy of the measurements are consistent with the accepted capability of that type of device. Devices selected shall be capable of measuring flows with a maximum deviation of less than 10% from true discharge rates throughout the range of expected discharge volumes. Guidance in selection, installation, calibration and operation of acceptable flow measurement devices can be obtained from the following references:

- a. "A Guide to Methods and Standards for the Measurement of Water Flow, 1975," U.S. Department of Commerce, National Bureau of Standards. This publication is available from the National Technical Information Service (NTIS), Springfield, VA 22161, Phone number (800) 553-6847. Order by NTIS publication number COM-75-10683.
- b. "Flow Measurement in Open Channels and Closed Conduits, Volumes 1 and 2," U.S. Department of Commerce, National Bureau of Standards. This publication is available from the National Technical Service (NTIS), Springfield, VA, 22161, Phone number (800) 553-6847. Order by NTIS publication number PB-273 535.
- c. "NPDES Compliance Flow Measurement Manual," U.S. Environmental Protection Agency, Office of Water Enforcement. This publication is available from the National Technical Information Service (NTIS), Springfield, VA 22161, Phone number (800) 553-6847. Order by NTIS publication number PB-82-131178.

7. Prohibition for Tampering: Penalties

- a. LA R.S. 30:2025 provides for punishment of any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit.
- b. LA R.S. 30:2076.2 provides for penalties for any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non compliance.

8. Additional Monitoring by the Permittee

If the Permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136 (See LAC 33:IX.4901) or, in the case of sludge use and disposal, approved under 40 CFR Part 136 (See LAC 33:IX.4901) unless otherwise specified in 40 CFR Part 503, or as specified in the permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the state administrative authority.

9. Averaging of Measurements

Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the state administrative authority in the permit.

10. Laboratory Accreditation

- a. LAC 33:I.Subpart 3, Chapters 45-59 provide requirements for an accreditation program specifically applicable to commercial laboratories, wherever located, that provide chemical analyses, analytical results, or other test data to the department, by contract or by agreement, and the data is:

- (1) Submitted on behalf of any facility, as defined in R.S.30:2004;
- (2) Required as part of any permit application;
- (3) Required by order of the department;
- (4) Required to be included on any monitoring reports submitted to the department;
- (5) Required to be submitted by contractor
- (6) Otherwise required by department regulations.

- b. The department laboratory accreditation program is designed to ensure the accuracy, precision, and reliability of the data generated, as well as the use of department-approved methodologies in generation of that data. Laboratory data generated by commercial environmental laboratories that are not accredited under these regulations will not be accepted by the department. Retesting of analysis will be required by an accredited commercial laboratory.

Where retesting of effluent is not possible (i.e. data reported on DMRs for prior month's sampling), the data generated will be considered invalid and in violation of the LPDES permit.

- c. Regulations on the Environmental Laboratory Accreditation Program and a list of labs that have applied for accreditation are available on the department website located at:

**<http://www.deq.state.la.us/laboratory/index.htm>.**

Questions concerning the program may be directed to (225) 765-0582.

#### **SECTION D. REPORTING REQUIREMENTS**

##### **1. Facility Changes**

The permittee shall give notice to the state administrative authority as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:

- a. The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR 122.29(b); or
- b. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under LAC 33:IX.2703.A.1.
- c. **For Municipal Permits.** Any new introduction of pollutants into the POTW from an indirect discharger which would be subject to Section 301, or 306 of the CWA if it were directly discharging those pollutants; and any substantial change in the volume or character of pollutants being introduced into that POTW by a source introducing pollutants into the POTW at the time of issuance of the permit. In no case are any new connections, increased flows, or significant changes in influent quality permitted that will cause violation of the effluent limitations specified herein.

##### **2. Anticipated Noncompliance**

The permittee shall give advance notice to the state administrative authority of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

##### **3. Transfers**

This permit is not transferable to any person except after notice to the state administrative authority. The state administrative authority may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under the Clean Water Act or the Louisiana Environmental Quality Act. (See LAC 33:IX.2901; in some cases, modification or revocation and reissuance is mandatory.)

A permit may be transferred by the permittee to a new owner or operator only if the permit has been modified or revoked and reissued (under LAC 33:IX.2903. A.2.b), or a minor modification made (under LAC 33:IX.2905) to identify the new permittee and incorporate such other requirements as may be necessary under the Clean Water Act and the Louisiana Environmental Quality Act.

4. Monitoring Reports

Monitoring results shall be reported at the intervals and in the form specified in narrative portion of the Facility Specific Requirements document or Other Conditions of this permit.

The permittee shall submit properly completed Discharge Monitoring Reports (DMRs) on the form specified in the permit. Preprinted DMRs are provided to majors/92-500's and other designated facilities. Please contact the Permit Compliance Unit concerning preprints. Self-generated DMRs must be pre-approved by the Permit Compliance Unit prior to submittal. Self-generated DMRs are approved on an individual basis. Requests for approval of self-generated DMRs should be submitted to:

Supervisor, Permit Compliance Unit  
Office of Environmental Compliance  
Post Office Box 4312  
Baton Rouge, LA 70821-4312

Copies of blank DMR templates, plus instructions for completing them, and EPA's LPDES Reporting Handbook are available at the department website located at:

<http://www.deq.louisiana.gov/portal/Default.aspx?tabid=2276>

5. Compliance Schedules

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.

6. Requirements for Notificationa. Emergency Notification

As required by LAC 33:I.3915, in the event of an unauthorized discharge that does cause an emergency condition, the discharger shall notify the hotline (DPS 24-hour Louisiana Emergency Hazardous Materials Hotline) by telephone at (225) 925-6595 (collect calls accepted 24 hours a day) immediately (a reasonable period of time after taking prompt measures to determine the nature, quantity, and potential off-site impact of a release, considering the exigency of the circumstances), but in no case later than one hour after learning of the discharge. (An emergency condition is any condition which could reasonably be expected to endanger the health and safety of the public, cause significant adverse impact to the land, water, or air environment, or cause severe damage to property.) Notification required by this section will be made regardless of the amount of discharge. Prompt Notification Procedures are listed in Section D.6.c. of these standard conditions.

A written report shall be provided within seven calendar days after the notification. The report shall contain the information listed in Section D.6.d. of these standard conditions and any additional information in LAC 33:I.3925.B.

b. Prompt Notification

As required by LAC 33:I.3917, in the event of an unauthorized discharge that exceeds a reportable quantity specified in LAC 33:I.Subchapter E, but does not cause an emergency condition, the discharger shall promptly notify the department within 24 hours after learning of the discharge. Notification should be made to the Office of Environmental Compliance, Surveillance Division Single Point of Contact (SPOC) in accordance with LAC 33:I.3923.

In accordance with LAC 33:I.3923, prompt notification shall be provided within a time frame not to exceed 24 hours and shall be given to the Office of Environmental Compliance, Surveillance Division Single Point of Contact (SPOC) as follows:

- (1) by the Online Incident Reporting screens found at  
<http://www3.deq.louisiana.gov/surveillance/irf/forms/>; or



REVISED 4/27/07

Page 10 of 17

- (2) by e-mail utilizing the Incident Report Form and instructions found at <http://www.deq.louisiana.gov/portal/Default.aspx?tabid=279>; or
  - (3) by telephone at (225) 219-3640 during office hours, or (225) 342-1234 after hours and on weekends and holidays.
- c. Content of Prompt Notifications. The following guidelines will be utilized as appropriate, based on the conditions and circumstances surrounding any unauthorized discharge, to provide relevant information regarding the nature of the discharge:
- (1) the name of the person making the notification and the telephone number where any return calls from response agencies can be placed;
  - (2) the name and location of the facility or site where the unauthorized discharge is imminent or has occurred, using common landmarks. In the event of an incident involving transport, include the name and address of the transporter and generator;
  - (3) the date and time the incident began and ended, or the estimated time of continuation if the discharge is continuing;
  - (4) the extent of any injuries and identification of any known personnel hazards that response agencies may face;
  - (5) the common or scientific chemical name, the U.S. Department of Transportation hazard classification, and the best estimate of amounts of any and all discharged pollutants;
  - (6) a brief description of the incident sufficient to allow response agencies to formulate their level and extent of response activity.
- d. Written Notification Procedures. Written reports for any unauthorized discharge that requires notification under Section D.6.a. or 6.b., or shall be submitted by the discharger to the Office of Environmental Compliance, Surveillance Division SPOC in accordance with LAC 33:IX.3925 within seven calendar days after the notification required by D.6.a. or 6.b., unless otherwise provided for in a valid permit or other department regulation. Written notification reports shall include, but not be limited to, the following information:
- (1) the name, address, telephone number, Agency Interest (AI) number (number assigned by the department) if applicable, and any other applicable identification numbers of the person, company, or other party who is filing the written report, and specific identification that the report is the written follow-up report required by this section;
  - (2) the time and date of prompt notification, the state official contacted when reporting, the name of person making that notification, and identification of the site or facility, vessel, transport vehicle, or storage area from which the unauthorized discharge occurred;
  - (3) date(s), time(s), and duration of the unauthorized discharge and, if not corrected, the anticipated time it is expected to continue;
  - (4) details of the circumstances (unauthorized discharge description and root cause) and events leading to any unauthorized discharge, including incidents of loss of sources of radiation, and if the release point is subject to a permit:
    - (a) the current permitted limit for the pollutant(s) released; and
    - (b) the permitted release point/outfall ID.
  - (5) the common or scientific chemical name of each specific pollutant that was released as the result of an unauthorized discharge, including the CAS number and U.S. Department of Transportation hazard classification, and the best estimate of amounts of any and all released pollutants (total amount of each compound expressed in pounds, including calculations);

- (6) a statement of the actual or probable fate or disposition of the pollutant or source of radiation and what off-site impact resulted;
- (7) remedial actions taken, or to be taken, to stop unauthorized discharges or to recover pollutants or sources of radiation.
- (8) Written notification reports shall be submitted to the Office of Environmental Compliance, Surveillance Division SPOC by mail or fax. The transmittal envelope and report or fax cover page and report should be clearly marked **"UNAUTHORIZED DISCHARGE NOTIFICATION REPORT."**

Please see LAC 33:I.3925.B for additional written notification procedures.

- e. Twenty-four Hour Reporting. The permittee shall report any noncompliance which may endanger human health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within five days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and; steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance. The following shall be included as information which must be reported within 24 hours:

- (1) Any unanticipated bypass which exceeds any effluent limitation in the permit (see LAC 33:IX.2701.M.3.b.);
- (2) Any upset which exceeds any effluent limitation in the permit;
- (3) Violation of a maximum daily discharge limitation for any of the pollutants listed by the state administrative authority in Other Conditions of the permit to be reported within 24 hours (LAC 33:IX.2707.G.).

7. Other Noncompliance

The permittee shall report all instances of noncompliance not reported under Section D.4., 5., and 6., at the time monitoring reports are submitted. The reports shall contain the information listed in Section D.6.e.

8. Other Information

Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the state administrative authority, it shall promptly submit such facts or information.

9. Discharges of Toxic Substances

In addition to the reporting requirements under Section D.1-8, all existing manufacturing, commercial, mining, and silvicultural dischargers must notify the Office of Environmental Services, Water Permits Division as soon as they know or have reason to believe:

- a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant:
  - i. listed at LAC 33:IX.7107, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following notification levels:
    - (1) One hundred micrograms per liter (100 µg/L);
    - (2) Two hundred micrograms per liter (200 µg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 µg/L) for 2,4 -dinitro-phenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
    - (3) Five (5) times the maximum concentration value reported for that pollutant in the permit application in accordance with LAC33:IX.2501.G.7; or
    - (4) The level established by the state administrative authority in accordance with LAC 33:IX.2707.F; or
  - ii. which exceeds the reportable quantity levels for pollutants at LAC 33:I. Subchapter E.

- b. That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant:
  - i. listed at LAC 33:IX.7107, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
    - (1) Five hundred micrograms per liter (500 µg/L);
    - (2) One milligram per liter (1 mg/L) for antimony;
    - (3) Ten (10) times the maximum concentration value reported for that pollutant in the permit application in accordance with LAC 33:IX.2501.G.7; or
    - (4) The level established by the state administrative authority in accordance with LAC 33:IX.2707.F; or
  - ii. which exceeds the reportable quantity levels for pollutants at LAC 33:I. Subchapter E.

#### 10. Signatory Requirements

All applications, reports, or information submitted to the state administrative authority shall be signed and certified.

a. All permit applications shall be signed as follows:

- (1) For a corporation - by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means:
  - (a) A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions for the corporation; or,
  - (b) The manager of one or more manufacturing, production, or operating facilities, provided: the manager is authorized to make management decisions that govern the operation of the regulated facility, including having the explicit or implicit duty of making major capital investment recommendations and initiating and directing other comprehensive measures to ensure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and the authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

**NOTE:** DEQ does not require specific assignments or delegations of authority to responsible corporate officers identified in Section D.10.a.(1)(a). The agency will presume that these responsible corporate officers have the requisite authority to sign permit applications unless the corporation has notified the state administrative authority to the contrary. Corporate procedures governing authority to sign permit applications may provide for assignment or delegation to applicable corporate positions under Section D.10.a.(1)(b) rather than to specific individuals.

- (2) For a partnership or sole proprietorship - by a general partner or the proprietor, respectively; or
- (3) For a municipality, state, federal, or other public agency - by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a federal agency includes:
  - (a) The chief executive officer of the agency, or
  - (b) A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of EPA).

b. All reports required by permits and other information requested by the state administrative authority shall be signed by a person described in Section D.10.a., or by a duly authorized representative of that person. A person is a duly authorized representative only if:

- (1) The authorization is made in writing by a person described in Section D.10.a. of these standard conditions;

- (2) The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company, (a duly authorized representative may thus be either a named individual or an individual occupying a named position; and,
  - (3) The written authorization is submitted to the state administrative authority.
- c. Changes to authorization. If an authorization under Section D.10.b. is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of Section D.10.b. must be submitted to the state administrative authority prior to or together with any reports, information, or applications to be signed by an authorized representative.
- d. Certification. Any person signing a document under Section D.10. a. or b. above, shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

#### 11. Availability of Reports

All recorded information (completed permit application forms, fact sheets, draft permits, or any public document) not classified as confidential information under R.S. 30:2030(A) and 30:2074(D) and designated as such in accordance with these regulations (LAC 33:IX.2323 and LAC 33:IX.6503) shall be made available to the public for inspection and copying during normal working hours in accordance with the Public Records Act, R.S. 44:1 et seq.

Claims of confidentiality for the following will be denied:

- a. The name and address of any permit applicant or permittee;
- b. Permit applications, permits, and effluent data.
- c. Information required by LPDES application forms provided by the state administrative authority under LAC 33:IX.2501 may not be claimed confidential. This includes information submitted on the forms themselves and any attachments used to supply information required by the forms.

### SECTION E. PENALTIES FOR VIOLATIONS OF PERMIT CONDITION

#### 1. Criminal

##### a. Negligent Violations

The Louisiana Revised Statutes LA. R. S. 30:2076.2 provides that any person who negligently violates any provision of the LPDES, or any order issued by the secretary under the LPDES, or any permit condition or limitation implementing any such provision in a permit issued under the LPDES by the secretary, or any requirement imposed in a pretreatment program approved under the LPDES is subject to a fine of not less than \$2,500 nor more than \$25,000 per day of violation, or by imprisonment for not more than 1 year, or both. If a conviction of a person is for a violation committed after a first conviction of such person, he shall be subject to a fine of not more than \$50,000 per day of violation, or imprisonment of not more than two years, or both.

##### b. Knowing Violations

The Louisiana Revised Statutes LA. R. S. 30:2076.2 provides that any person who knowingly violates any provision of the LPDES, or any permit condition or limitation implementing any such provisions in a permit issued under the LPDES, or any requirement imposed in a pretreatment program approved under

REVISED 4/27/07

Page 14 of 17

the LPDES is subject to a fine of not less than \$5,000 nor more than \$50,000 per day of violation, or imprisonment for not more than 3 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person, he shall be subject to a fine of not more than \$100,000 per day of violation, or imprisonment of not more than six years, or both.

c. Knowing Endangerment

The Louisiana Revised Statutes LA. R. S. 30:2076.2 provides that any person who knowingly violates any provision of the LPDES, or any order issued by the secretary under the LPDES, or any permit condition or limitation implementing any of such provisions in a permit issued under the LPDES by the secretary, and who knows at that time that he thereby places another person in imminent danger of death or serious bodily injury, shall, upon conviction, be subject to a fine of not more than \$250,000, or by imprisonment for not more than 15 years, or both. A person which is an organization shall, upon conviction of violating this Paragraph, be subject to a fine of not more than one million dollars. If a conviction of a person is for a violation committed after a first conviction of such person under this Paragraph, the maximum punishment shall be doubled with respect to both fine and imprisonment.

d. False Statements

The Louisiana Revised Statutes LA. R. S. 30:2076.2 provides that any person who knowingly makes any false material statement, representation, or certification in any application, record, report, plan, or other document filed or required to be maintained under the LPDES or who knowingly falsifies, tampers with, or renders inaccurate, any monitoring device or method required to be maintained under the LPDES, shall, upon conviction, be subject to a fine of not more than \$10,000, or imprisonment for not more than 2 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person under this Subsection, he shall be subject to a fine of not more than \$20,000 per day of violation, or imprisonment of not more than 4 years, or both.

2. Civil Penalties

The Louisiana Revised Statutes LA. R. S. 30:2025 provides that any person found to be in violation of any requirement of this Subtitle may be liable for a civil penalty, to be assessed by the secretary, an assistant secretary, or the court, of not more than the cost to the state of any response action made necessary by such violation which is not voluntarily paid by the violator, and a penalty of not more than \$32,500 for each day of violation. However, when any such violation is done intentionally, willfully, or knowingly, or results in a discharge or disposal which causes irreparable or severe damage to the environment or if the substance discharged is one which endangers human life or health, such person may be liable for an additional penalty of not more than one million dollars.

(PLEASE NOTE: These penalties are listed in their entirety in Subtitle II of Title 30 of the Louisiana Revised Statutes.)

## SECTION F. DEFINITIONS

All definitions contained in Section 502 of the Clean Water Act shall apply to this permit and are incorporated herein by reference. Additional definitions of words or phrases used in this permit are as follows:

1. Clean Water Act (CWA) means the Clean Water Act (formerly referred to as the Federal Water Pollution Control Act or the Federal Water Pollution Control Act Amendments of 1972) Pub.L.92-500, as amended by Pub.L. 95-217, Pub.L. 95-576, Pub.L. 96-483 and Pub.L. 97-117, 33 U.S.C. 1251 et. seq.).
2. Accreditation means the formal recognition by the department of a laboratory's competence wherein specific tests or types of tests can be accurately and successfully performed in compliance with all minimum requirements set forth in the regulations regarding laboratory accreditation.
3. Administrator means the Administrator of the U.S. Environmental Protection Agency, or an authorized representative.

4. Applicable Standards and Limitations means all state, interstate and federal standards and limitations to which a discharge is subject under the Clean Water Act, including, effluent limitations, water quality standards of performance, toxic effluent standards or prohibitions, best management practices, and pretreatment standards under Sections 301, 302, 303, 304, 306, 307, 308 and 403.
5. Applicable water quality standards means all water quality standards to which a discharge is subject under the Clean Water Act.
6. Commercial Laboratory means any laboratory, wherever located, that performs analyses or tests for third parties for a fee or other compensation and provides chemical analyses, analytical results, or other test data to the department. The term commercial laboratory does not include laboratories accredited by the Louisiana Department of Health and Hospitals in accordance with R.S. 49:1001 et seq.
7. Daily Discharge means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in terms of mass, the daily discharge is calculated as the total mass of the pollutant discharged over the sampling day. For pollutants with limitations expressed in other units of measurement, the daily discharge is calculated as the average measurement of the pollutant over the sampling day. Daily discharge determination of concentration made using a composite sample shall be the concentration of the composite sample.
8. Daily Maximum discharge limitation means the highest allowable "daily discharge".
9. Director means the U.S. Environmental Protection Agency Regional Administrator, or the state administrative authority, or an authorized representative.
10. Domestic septage means either liquid or solid material removed from a septic tank, cesspool, portable toilet, Type III marine sanitation device, or similar treatment works that receives only domestic sewage. Domestic septage does not include liquid or solid material removed from a septic tank, cesspool, or similar treatment works that receives either commercial wastewater or industrial wastewater and does not include grease removed from grease trap at a restaurant.
11. Domestic sewage means waste and wastewater from humans, or household operations that is discharged to or otherwise enters a treatment works.
12. Environmental Protection Agency or (EPA) means the U.S. Environmental Protection Agency.
13. Grab sample means an individual sample collected over a period of time not exceeding 15 minutes, unless more time is needed to collect an adequate sample, and is representative of the discharge.
14. Industrial user means a nondomestic discharger, as identified in 40 CFR 403, introducing pollutants to a publicly owned treatment works.
15. LEQA means the Louisiana Environmental Quality Act.
16. Louisiana Pollutant Discharge Elimination System (LPDES) means those portions of the Louisiana Environmental Quality Act and the Louisiana Water Control Law and all regulations promulgated under their authority which are deemed equivalent to the National Pollutant Discharge Elimination System (NPDES) under the Clean Water Act in accordance with Section 402 of the Clean Water Act and all applicable federal regulations.

17. Monthly Average other than for fecal coliform bacteria, discharge limitations are calculated as the sum of all "daily discharge(s)" measured during a calendar month divided by the number of "daily discharge(s)" measured during that month. When the permit establishes monthly average concentration effluent limitations or conditions, and flow is measured as continuous record or with a totalizer, the monthly average concentration means the arithmetic average (weighted by flow) of all "daily discharge(s)" of concentration determined during the calendar month where C = daily discharge concentration, F = daily flow and n = number of daily samples; monthly average discharge =

$$\frac{C_1F_1 + C_2F_2 + \dots + C_nF_n}{F_1 + F_2 + \dots + F_n}$$

When the permit establishes monthly average concentration effluent limitations or conditions, and the flow is not measured as a continuous record, then the monthly average concentration means the arithmetic average of all "daily discharge(s)" of concentration determined during the calendar month.

The monthly average for fecal coliform bacteria is the geometric mean of the values for all effluent samples collected during a calendar month.

18. National Pollutant Discharge Elimination System (NPDES) means the national program for issuing, modifying, revoking and reissuing, terminating, monitoring and enforcing permits, and imposing and enforcing pretreatment requirements, under Sections 307, 318, 402, and 405 of the Clean Water Act.
19. Severe property damage means substantial physical damage to property, damage to the treatment facilities that causes them to become inoperable, or substantial and permanent loss of natural resources that can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
20. Sewage sludge means a solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in a treatment works. Sewage sludge includes, but is not limited to, domestic septage; scum or solids removed in primary, secondary, or advanced wastewater treatment processes; portable toilet pumpings, type III marine sanitation device pumpings (33 CFR Part 159); and a material derived from sewage sludge. Sewage sludge does not include ash generated during the firing of sewage sludge in a sewage sludge incinerator or grit and screenings generated during preliminary treatment of domestic sewage in a treatment works.
21. Treatment works means any devices and systems used in the storage, treatment, recycling and reclamation of municipal sewage and industrial wastes of a liquid nature to implement Section 201 of the Clean Water Act, or necessary to recycle or reuse water at the most economical cost over the estimated life of the works, including intercepting sewers, sewage collection systems, pumping, power and other equipment, and their appurtenances, extension, improvement, remodeling, additions, and alterations thereof. (See Part 212 of the Clean Water Act)
22. For fecal coliform bacteria, a sample consists of one effluent grab portion collected during a 24-hour period at peak loads.
23. The term MGD shall mean million gallons per day.
24. The term mg/L shall mean milligrams per liter or parts per million (ppm).
25. The term ug/L shall mean micrograms per liter or parts per billion (ppb).
26. The term ng/L shall mean nanograms per liter or parts per trillion (ppt).

27. Weekly average, (also known as 7-day average), other than for fecal coliform bacteria, is the highest allowable arithmetic mean of the daily discharges over a calendar week, calculated as the sum of all "daily discharge(s)" measured during a calendar week divided by the number of "daily discharge(s)" measured during that week. When the permit establishes weekly average concentration effluent limitations or conditions, and flow is measured as continuous record or with a totalizer, the weekly average concentration means the arithmetic average (weighted by flow) of all "daily discharge(s)" of concentration determined during the calendar week where C = daily discharge concentration, F = daily flow and n = number of daily samples; weekly average discharge =

$$\frac{C_1F_1 + C_2F_2 + \dots + C_nF_n}{F_1 + F_2 + \dots + F_n}$$

When the permit establishes weekly average concentration effluent limitations or conditions, and the flow is not measured as a continuous record, then the weekly average concentration means the arithmetic average of all "daily discharge(s)" of concentration determined during the calendar week.

The weekly average for fecal coliform bacteria is the geometric mean of the values for all effluent samples collected during a calendar week.

28. Sanitary Wastewater Term(s):

- a. 3-hour composite sample consists of three effluent portions collected no closer together than one hour (with the first portion collected no earlier than 10:00 a.m.) over the 3-hour period and composited according to flow, or a sample continuously collected in proportion to flow over the 3-hour period.
- b. 6-hour composite sample consists of six effluent portions collected no closer together than one hour (with the first portion collected no earlier than 10:00 a.m.) over the 6-hour period and composited according to flow, or a sample continuously collected in proportion to flow over the 6-hour period.
- c. 12-hour composite sample consists of 12 effluent portions collected no closer together than one hour over the 12-hour period and composited according to flow, or a sample continuously collected in proportion to flow over the 12-hour period. The daily sampling intervals shall include the highest flow periods.
- d. 24-hour composite sample consists of a minimum of 12 effluent portions collected at equal time intervals over the 24-hour period and combined proportional to flow or a sample continuously collected in proportion to flow over the 24-hour period.